

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	8	("4262306" "5107845" "5602585" "5648815" "5684887" "5847755" "5930379" "6062216") .PN.	USPAT	2005/05/24 08:37	
2	BRS	L2	8	1 and difference\$1	USPAT	2005/05/24 08:37	
3	BRS	L3	1	2 and (color\$1 near10 difference\$1)	USPAT	2005/05/24 08:38	
4	BRS	L4	0	2 and pseudocolor	USPAT	2005/05/24 08:41	
5	IS&R	L5	2444	(382/232,236,251,245).CCLS.	USPAT	2005/05/24 08:41	
6	BRS	L6	90	synchronous same compress\$3 same (mov\$6 or motion) same (frame\$1 or video)	USPAT	2005/05/24 09:17	
7	BRS	L7	4	6 same difference\$1	USPAT	2005/05/24 08:43	
8	BRS	L8	3	7 same (color\$1 or rgb)	USPAT	2005/05/24 08:43	
9	BRS	L9	193	(synchronous near5 video) same (mov\$6 or motion)	USPAT	2005/05/24 08:46	
10	BRS	L10	18	9 same color\$1	USPAT	2005/05/24 08:46	
11	BRS	L11	3	10 same (difference\$1 or change\$1)	USPAT	2005/05/24 08:47	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
12	BRS	L12	191	(color\$1 near3 (difference\$1 or chang\$3)) same ((previous or current or prior or preceed\$3) near3 frame\$1)	USPAT	2005/05/24 08:49	
13	BRS	L13	13	12 and pseudo\$6	USPAT	2005/05/24 08:57	
14	BRS	L14	166	(pseudo-color\$1 or pseudocolor\$1 or (pseudo adj color\$1)) same map\$5 same color\$1	USPAT	2005/05/24 09:22	
15	BRS	L15	21	14 same (color\$1 near5 (difference\$1 or variation\$1))	USPAT	2005/05/24 09:22	
16	BRS	L16	2	color\$1 with difference\$1 with (pseudocolor\$1 or pseudo-color\$1 or (pseudo adj color\$1)) with frame\$1	USPAT	2005/05/24 09:05	
17	BRS	L17	323	(color\$1 near2 difference\$1) same (mov\$6 or motion) same video	USPAT	2005/05/24 09:06	
18	BRS	L18	10	5 and 17	USPAT	2005/05/24 09:06	
19	BRS	L19	2	5 and 6	USPAT	2005/05/24 09:19	
20	BRS	L20	2	19 and difference\$1	USPAT	2005/05/24 09:19	
21	BRS	L21	0	19 and (color\$1 near2 difference\$1)	USPAT	2005/05/24 09:20	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
22	BRS	L22	45	movement same video same color same (frame\$1 near10 (difference\$1 or subtract\$5 or variation))	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/05/24 09:21	
23	BRS	L23	0	22 and (pseudo-color\$1 or pseudocolor\$1 or (pseudo adj color\$1) or (artificial near1 color\$1) or artificialcolor\$1) same map\$5 same color\$1	USPAT	2005/05/24 10:07	
24	BRS	L24	2	22 and (artificialcolor\$1 or (artificial adj color\$1) or pseudo-color\$1 or pseudocolor\$1 or (pseudo adj color\$1))	USPAT	2005/05/24 09:55	
25	BRS	L25	61	((artificialcolor\$1 or (artificial adj color\$1) or pseudo-color\$1 or pseudocolor\$1 or (pseudo adj color\$1)) near2 scal\$3)	USPAT	2005/05/24 09:28	
26	BRS	L26	1	25 same difference\$1	USPAT	2005/05/24 09:32	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
27	BRS	L27	73	(color\$1 near2 (difference\$1 or chang\$3 or variation\$1)) same (video or frame\$1) same ((below or less or greater or above) near3 (threshold\$3 or (predetermined adj value)))	USPAT	2005/05/24 09:35	
28	BRS	L28	10	27 same compress\$3	USPAT	2005/05/24 09:45	
29	BRS	L29	4245	(updat\$3 near3 frame\$1)	USPAT	2005/05/24 09:45	
30	BRS	L30	27	29 same (color\$1 near2 (chang\$3 or variation\$1 or difference\$1))	USPAT	2005/05/24 09:52	
31	BRS	L31	1632	(sum\$4 or cumulative or accumulat\$3 or add\$3) near3 (color\$1 near2 (chang\$3 or variation\$1 or difference\$1))	USPAT	2005/05/24 09:53	
32	BRS	L32	59	31 same threshold\$3	USPAT	2005/05/24 09:54	
33	BRS	L33	9	32 same (video or frame\$1)	USPAT	2005/05/24 10:02	
34	BRS	L34	0	33 and (artificialcolor\$1 or (artificial adj color\$1) or pseudo-color\$1 or pseudocolor\$1 or (pseudo adj color\$1))	USPAT	2005/05/24 09:55	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
35	BRS	L35	5	33 and (lookup or look-up or (color\$1 near1 table\$1))	USPAT	2005/05/24 10:03	
36	BRS	L36	61	((pseudo-color\$1 or pseudocolor\$1 or (pseudo adj color\$1) or (artificial near1 color\$1) or artificialcolor\$1) near2 scal\$3)	USPAT	2005/05/24 10:07	
37	BRS	L37	0	36 same (color\$1 near2 difference\$1)	USPAT	2005/05/24 10:07	
38	BRS	L38	2	36 and (color\$1 near2 difference\$1)	USPAT	2005/05/24 10:07	

Refine Search

Search Results -

Terms	Documents
5664029.pn.	2

Search Forms

Search Results

Help

User Searches

Preferences

Logout

[US Pre-Grant Publication Full-Text Database](#)
[US Patents Full-Text Database](#)
[US OCR Full-Text Database](#)
[EPO Abstracts Database](#)
[JPO Abstracts Database](#)
[Derwent World Patents Index](#)
[IBM Technical Disclosure Bulletins](#)

Search:

Search History

DATE: Tuesday, May 24, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ

<u>L1</u>	movement same difference same color same threshold\$3	46	<u>L1</u>
<u>L2</u>	L1 same ((color near1 table) or lookup or look-up or map\$4)	2	<u>L2</u>
<u>L3</u>	L1 same (frame or video)	24	<u>L3</u>
<u>L4</u>	L3 and compress\$3	15	<u>L4</u>
<u>L5</u>	(synchronous near2 video) same (color near2 difference)	14	<u>L5</u>
<u>L6</u>	L5 same threshold\$3	0	<u>L6</u>
<u>L7</u>	cumulative near1 color near1 differenceL6	0	<u>L7</u>
<u>L8</u>	cumulative near1 color near1 difference	2	<u>L8</u>
<u>L9</u>	pixel same truncat\$3 same difference same color	33	<u>L9</u>
<u>L10</u>	L9 same frame	6	<u>L10</u>
<u>L11</u>	pseudocolor	724	<u>L11</u>
<u>L12</u>	L11 same difference	72	<u>L12</u>
<u>L13</u>	L12 same color	52	<u>L13</u>
<u>L14</u>	L13 same frame	1	<u>L14</u>

<u>L15</u>	L13 and compress\$3	11	<u>L15</u>
<u>L16</u>	pseudocolor near2 scal\$3	328	<u>L16</u>
<u>L17</u>	L16 same video	6	<u>L17</u>
<u>L18</u>	L16 same pixel	5	<u>L18</u>
<u>L19</u>	5664029.pn.	2	<u>L19</u>

END OF SEARCH HISTORY


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(color*<in>ab) <and> (frame*<in>ab) <and> (difference*<in>ab)"

☒ e-mailYour search matched **55** of **1164322** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.[» View Session History](#)[» New Search](#)

Modify Search

[» Key](#)

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

Select Article Information

View: 1-

- | | |
|--------------------------|--|
| <input type="checkbox"/> | 1. Low bit rate video coding using robust motion vector regeneration in the decode
Banham, M.R.; Brailean, J.C.; Chan, C.L.; Katsaggelos, A.K.;
Image Processing, IEEE Transactions on
Volume 3, Issue 5, Sept. 1994 Page(s):652 - 665
AbstractPlus Full Text: PDF (1200 KB) IEEE JNL |
| <input type="checkbox"/> | 2. A new noise reduction system for video camera
Nakajima, Y.; Hamasaki, T.; Nakayama, M.; Kitamura, Y.;
Consumer Electronics, IEEE Transactions on
Volume 37, Issue 3, Aug 1991 Page(s):213 - 219
AbstractPlus Full Text: PDF (400 KB) IEEE JNL |
| <input type="checkbox"/> | 3. Tree-structured scene adaptive coder
Strobach, P.;
Communications, IEEE Transactions on
Volume 38, Issue 4, April 1990 Page(s):477 - 486
AbstractPlus Full Text: PDF (1184 KB) IEEE JNL |
| <input type="checkbox"/> | 4. Digital still HDTV disc system
Takahashi, N.;
Consumer Electronics, IEEE Transactions on
Volume 34, Issue 1, Feb. 1988 Page(s):64 - 71
AbstractPlus Full Text: PDF (556 KB) IEEE JNL |
| <input type="checkbox"/> | 5. An efficient algorithm for video sequence matching using the modified Hausdorff the directed divergence
Sang Hyun Kim; Rae-Hong Park;
Circuits and Systems for Video Technology, IEEE Transactions on
Volume 12, Issue 7, July 2002 Page(s):592 - 596
AbstractPlus References Full Text: PDF (496 KB) IEEE JNL |
| <input type="checkbox"/> | 6. Performance characterization of video-shot-change detection methods
Gargi, U.; Kasturi, R.; Strayer, S.H.;
Circuits and Systems for Video Technology, IEEE Transactions on
Volume 10, Issue 1, Feb. 2000 Page(s):1 - 13
AbstractPlus References Full Text: PDF (284 KB) IEEE JNL |

- ☐ 7. **An imaging system with calibrated color image acquisition for use in dermatolog**
Haeghen, Y.V.; Naeyaert, J.M.A.D.; Lemahieu, I.; Philips, W.;
Medical Imaging, IEEE Transactions on
Volume 19, Issue 7, July 2000 Page(s):722 - 730
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(1020 KB) IEEE JNL
- ☐ 8. **A software-only videocodec using pixelwise conditional differential replenishment perceptual enhancements**
Yi-Jen Chin; Berger, T.;
Circuits and Systems for Video Technology, IEEE Transactions on
Volume 9, Issue 3, April 1999 Page(s):438 - 450
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(280 KB) IEEE JNL
- ☐ 9. **Interframe Coding for 4-MHz Color Television Signals**
Iinuma, K.; Iijima, Y.; Ishiguro, T.; Kaneko, H.; Shigaki, S.;
Communications, IEEE Transactions on [legacy, pre - 1988]
Volume 23, Issue 12, Dec 1975 Page(s):1461 - 1466
[AbstractPlus](#) | Full Text: [PDF](#)(696 KB) IEEE JNL
- ☐ 10. **Transmitting 4-MHz TV Signals by Combinational Difference Coding**
Yasuda, H.; Kuroda, H.; Kawanishi, H.; Kanaya, F.; Hashimoto, H.;
Communications, IEEE Transactions on [legacy, pre - 1988]
Volume 25, Issue 5, May 1977 Page(s):508 - 516
[AbstractPlus](#) | Full Text: [PDF](#)(896 KB) IEEE JNL
- ☐ 11. **Face and hands localization and tracking for sign language recognition**
Soontranon, N.; Aramvith, S.; Chalidabhongse, T.H.;
Communications and Information Technology, 2004. ISCIT 2004. IEEE International S
Volume 2, 26-29 Oct. 2004 Page(s):1246 - 1251 vol.2
[AbstractPlus](#) | Full Text: [PDF](#)(1059 KB) IEEE CNF
- ☐ 12. **Hand region extraction and gesture recognition from video stream with complex through entropy analysis**
JongShill Lee; YoungJoo Lee; EunHyuk Lee; SeungHong Hong;
Engineering in Medicine and Biology Society, 2004. EMBC 2004. Conference Proceed
International Conference of the
Volume 1, 1-5 Sept. 2004 Page(s):1513 - 1516 Vol.2
[AbstractPlus](#) | Full Text: [PDF](#)(608 KB) IEEE CNF
- ☐ 13. **An automatic segmentation algorithm for moving objects in video sequences un constraints**
Wu Si; Zhang Yong-dong; Lin Shou-xun;
Multimedia and Expo, 2004. ICME '04. 2004 IEEE International Conference on
Volume 1, 27-30 June 2004 Page(s):555 - 558 Vol.1
[AbstractPlus](#) | Full Text: [PDF](#)(581 KB) IEEE CNF
- ☐ 14. **Space-variant regular decomposition quadtrees in adaptive interframe coding**
Strobach, P.; Schutt, D.; Tengler, W.;
Acoustics, Speech, and Signal Processing, 1988. ICASSP-88., 1988 International Con
11-14 April 1988 Page(s):1096 - 1099 vol.2
[AbstractPlus](#) | Full Text: [PDF](#)(572 KB) IEEE CNF
- ☐ 15. **Many-sorted high-level nets**
Billington, J.;
Petri Nets and Performance Models, 1989. PNPM89., Proceedings of the Third Interna
on
11-13 Dec. 1989 Page(s):166 - 179

[AbstractPlus](#) | Full Text: [PDF\(948 KB\)](#) IEEE CNF

- ☐ **16. Some experiments on vector quantization using neural nets**
Lancini, R.; Perego, F.; Tubaro, S.;
Global Telecommunications Conference, 1991. GLOBECOM '91. Countdown to the Ne
Featuring a Mini-Theme on: Personal Communications Services
2-5 Dec 1991 Page(s):135 - 139 vol.1
[AbstractPlus](#) | Full Text: [PDF\(436 KB\)](#) IEEE CNF

- ☐ **17. Segmentation of people in motion**
Shio, A.; Sklansky, J.;
Visual Motion, 1991., Proceedings of the IEEE Workshop on
7-9 Oct. 1991 Page(s):325 - 332
[AbstractPlus](#) | Full Text: [PDF\(672 KB\)](#) IEEE CNF

- ☐ **18. The application of difference method to dim point target detection in infrared ima**
Wei-Ping Yang; Zhen-Kang Shen; Zhi-Yong Li;
Aerospace and Electronics Conference, 1994. NAECON 1994., Proceedings of the IEE
23-27 May 1994 Page(s):133 - 136 vol.1
[AbstractPlus](#) | Full Text: [PDF\(204 KB\)](#) IEEE CNF

- ☐ **19. Multi-modal system for locating heads and faces**
Graf, H.P.; Cosatto, E.; Gibbon, D.; Kocheisen, M.; Petajan, E.;
Automatic Face and Gesture Recognition, 1996., Proceedings of the Second Internatio
on
14-16 Oct. 1996 Page(s):88 - 93
[AbstractPlus](#) | Full Text: [PDF\(992 KB\)](#) IEEE CNF

- ☐ **20. Video compression using fax techniques**
Yi-Jen Chiu; Berger, T.;
Data Compression Conference, 1996. DCC '96. Proceedings
31 March-3 April 1996 Page(s):429
[AbstractPlus](#) | Full Text: [PDF\(48 KB\)](#) IEEE CNF

- ☐ **21. Image sequence coding using a contour-based method**
Murayama, J.; Miyauchi, T.; Shiota, N.;
Image Processing, 1995. Proceedings., International Conference on
Volume 1, 23-26 Oct. 1995 Page(s):546 - 549 vol.1
[AbstractPlus](#) | Full Text: [PDF\(280 KB\)](#) IEEE CNF

- ☐ **22. Facial feature extraction and tracking in video sequences**
Ru-Shang Wang; Yao Wang;
Multimedia Signal Processing, 1997., IEEE First Workshop on
23-25 June 1997 Page(s):233 - 238
[AbstractPlus](#) | Full Text: [PDF\(584 KB\)](#) IEEE CNF

- ☐ **23. Towards physics-based segmentation of photographic color images**
Luo, J.; Gray, R.T.; Hsien-Che Lee;
Image Processing, 1997. Proceedings., International Conference on
Volume 3, 26-29 Oct. 1997 Page(s):58 - 61 vol.3
[AbstractPlus](#) | Full Text: [PDF\(548 KB\)](#) IEEE CNF

- ☐ **24. Telop character extraction from video data**
Kuвано, H.; Kurakake, S.; Odaka, K.;
Document Image Analysis, 1997. (DIA '97) Proceedings., Workshop on
20 June 1997 Page(s):82 - 88
[AbstractPlus](#) | Full Text: [PDF\(520 KB\)](#) IEEE CNF

**25. Consistent digital color image acquisition of the skin**


Vander Haeghen, Y.; Naeyart, J.M.; Lemahieu, I.;
Engineering in Medicine and Biology Society, 1998. Proceedings of the 20th Annual Int
Conference of the IEEE
Volume 2, 29 Oct.-1 Nov. 1998 Page(s):944 - 949 vol.2

[AbstractPlus](#) | Full Text: [PDF](#)(492 KB) [IEEE CNF](#)



View: 1-

Indexed by

 Inspec®[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2005 IEEE -


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

cumulative <sentence> color <sentence> difference* <senten



THE ACM DIGITAL LIBRARY

[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

cumulative sentence color sentence difference sentence compress

Found 12,715 of 154,226

Sort results by

relevance

☒ Save results to a Binder

 Try an [Advanced Search](#)

Display results

expanded form

☒ Search Tips

 Try this search in [The ACM Guide](#)
☐ Open results in a new window

Results 1 - 20 of 200

 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

 Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Automatic parsing for content analysis](#)

Frederick J. Damerau

 June 1970 **Communications of the ACM**, Volume 13 Issue 6

Full text available: pdf(4.07 MB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

Although automatic syntactic and semantic analysis is not yet possible for all of an unrestricted natural language text, some applications, of which content analysis is one, do not have such a stringent coverage requirement. Preliminary studies show that the Harvard Syntactic Analyzer can produce correct and unambiguous identification of the subject and object of certain verbs for approximately half of the relevant occurrences. This provides a degree of coverage for content analysis variable ...

Keywords: content analysis, information retrieval, language analysis, natural language processing, parsing, syntactic analysis, text processing

2 [Special issue: AI in engineering](#)

D. Sriram, R. Joobhani

 January 1985 **ACM SIGART Bulletin**, Issue 91

Full text available: pdf(8.79 MB)

 Additional Information: [full citation](#), [abstract](#)

The papers in this special issue were compiled from responses to the announcement in the July 1984 issue of the SIGART newsletter and notices posted over the ARPAnet. The interest being shown in this area is reflected in the sixty papers received from over six countries. About half the papers were received over the computer network.

3 [Japanese prosodic phrasing and intonation synthesis](#)

Mary E. Beckman, Janet B. Pierrehumbert

 July 1986 **Proceedings of the 24th conference on Association for Computational Linguistics**

Full text available: pdf(777.86 KB)

 Additional Information: [full citation](#), [abstract](#), [references](#)
[Publisher Site](#)


A computer program for synthesizing Japanese fundamental frequency contours implements our theory of Japanese intonation. This theory provides a complete qualitative description of the known characteristics of Japanese intonation, as well as a quantitative model of tone-scaling and timing precise enough to translate straightforwardly into a computational

algorithm. An important aspect of the description is that various features of the intonation pattern are designated to be phonological properti ...

4 Face recognition: A literature survey

W. Zhao, R. Chellappa, P. J. Phillips, A. Rosenfeld

December 2003 **ACM Computing Surveys (CSUR)**, Volume 35 Issue 4

Full text available:  pdf(4.28 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

As one of the most successful applications of image analysis and understanding, face recognition has recently received significant attention, especially during the past several years. At least two reasons account for this trend: the first is the wide range of commercial and law enforcement applications, and the second is the availability of feasible technologies after 30 years of research. Even though current machine recognition systems have reached a certain level of maturity, their success is ...

Keywords: Face recognition, person identification

5 Integrating planning and task-based design for multimedia presentation

Stephan Kerpeldjiev, Giuseppe Carenini, Steven F. Roth, Johanna D. Moore

January 1997 **Proceedings of the 2nd international conference on Intelligent user interfaces**

Full text available:  pdf(970.04 KB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: information graphics, information seeking tasks, media allocation, multimedia presentation, presentation planning

6 Is Huffman coding dead? (extended abstract)

Abraham Bookstein, Shmuel T. Klein, Timo Raita

July 1993 **Proceedings of the 16th annual international ACM SIGIR conference on Research and development in information retrieval**

Full text available:  pdf(734.79 KB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

7 Effects of adjective orientation and gradability on sentence subjectivity

Vasileios Hatzivassiloglou, Janyce M. Wiebe

July 2000 **Proceedings of the 17th conference on Computational linguistics - Volume 1**

Full text available:  pdf(692.97 KB)


Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

Subjectivity is a pragmatic, sentence-level feature that has important implications for text processing applications such as information extraction and information retrieval. We study the effects of dynamic adjectives, semantically oriented adjectives, and gradable adjectives on a simple subjectivity classifier, and establish that they are strong predictors of subjectivity. A novel trainable method that statistically combines two indicators of gradability is presented and evaluated, complementin ...

8 Special issue dedicated to Claude E. Shannon: A mathematical theory of communication

C. E. Shannon

January 2001 **ACM SIGMOBILE Mobile Computing and Communications Review**, Volume 5 Issue 1

Full text available:  [pdf\(3.45 MB\)](#)


Additional Information: [full citation](#), [citations](#)

9 Designing multimedia: Dynamic key frame presentation techniques for augmenting video browsing



Tony Tse, Gary Marchionini, Wei Ding, Laura Slaughter, Anita Komlodi

May 1998 **Proceedings of the working conference on Advanced visual interfaces**

Full text available:  [pdf\(1.50 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

Because of unique temporal and spatial properties of video data, different techniques for summarizing videos have been proposed. Key frames extracted directly from video inform users about content without requiring them to view the entire video. As part of ongoing work to develop video browsing interfaces, several interface displays based on key frames were investigated. Variations on dynamic key frame "slide shows" were examined and compared to a static key frame "filmstrip" display. The slide ...

Keywords: display rate, divided attention, dynamic displays, interface design, key frames, representations, video browsing

10 The rhythm of lexical stress in prose



Doug Beeferman

June 1996 **Proceedings of the 34th conference on Association for Computational Linguistics**

Full text available:  [pdf\(718.04 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#)

 [Publisher Site](#)

"Prose rhythm" is a widely observed but scarcely quantified phenomenon. We describe an information-theoretic model for measuring the regularity of lexical stress in English texts, and use it in combination with trigram language models to demonstrate a relationship between the probability of word sequences in English and the amount of rhythm present in them. We find that the stream of lexical stress in text from the Wall Street Journal has an entropy rate of less than 0.75 bits per syllable for c ...

11 Cross-lingual C*ST*RD: English access to Hindi information



Anton Leuski, Chin-Yew Lin, Liang Zhou, Ulrich Germann, Franz Josef Och, Eduard Hovy

September 2003 **ACM Transactions on Asian Language Information Processing (TALIP)**, Volume 2 Issue 3

Full text available:  [pdf\(210.61 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We present C*ST*RD, a cross-language information delivery system that supports cross-language information retrieval, information space visualization and navigation, machine translation, and text summarization of single documents and clusters of documents. C*ST*RD was assembled and trained within 1 month, in the context of DARPA's Surprise Language Exercise, that selected as source a heretofore unstudied language, Hindi. Given the brief time, we could not create deep Hindi capabilities for all th ...

Keywords: Cross-language information retrieval, Hindi-to-English machine translation, headline generation, information retrieval and information space navigation, single- and multi-document text summarization

12 Special issue on tense and aspect: A computational model of the semantics of tense and aspect



Rebecca J. Passonneau

June 1988 **Computational Linguistics**, Volume 14 Issue 2

Full text available:  [pdf\(1.98 MB\)](#)  Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)
[Publisher Site](#)

The PUNDIT natural-language system processes references to situations and the intervals over which they hold using an algorithm that integrates the analysis of tense and aspect. For each tensed clause, PUNDIT processes the main verb and its grammatical categories of tense, perfect, and progressive in order to extract three complementary pieces of temporal information. The first is whether a situation has *actual* time associated with it. Secondly, for each situation that is presumed to take ...

13 [Key frame preview techniques for video browsing](#)



Anita Komlodi, Gary Marchionini

May 1998 **Proceedings of the third ACM conference on Digital libraries**

Full text available:  [pdf\(1.10 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

14 [Generating text from compressed input: an intelligent interface for people with severe motor impairments](#)



Patrick W. Demasco, Kathleen F. McCoy

May 1992 **Communications of the ACM**, Volume 35 Issue 5

Full text available:  [pdf\(3.88 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#), [review](#)


Keywords: text processing

15 [Query evaluation via tree-decompositions](#)



Jörg Flum, Markus Frick, Martin Grohe

November 2002 **Journal of the ACM (JACM)**, Volume 49 Issue 6

Full text available:  [pdf\(305.02 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

A number of efficient methods for evaluating first-order and monadic-second order queries on finite relational structures are based on tree-decompositions of structures or queries. We systematically study these methods. In the first part of the article, we consider arbitrary formulas on tree-like structures. We generalize a theorem of Courcelle [1990] by showing that on structures of bounded tree-width a monadic second-order formula (with free first- and second-order variables) can be evaluated i ...


Keywords: Acyclic conjunctive queries, combined complexity, hypergraphs, monadic second-order logic, tree-width

16 [Special relations in automated deduction](#)



Zohar Manna, Richard Waldinger

January 1986 **Journal of the ACM (JACM)**, Volume 33 Issue 1

Full text available:  [pdf\(4.03 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)


Two deduction rules are introduced to give streamlined treatment to relations of special importance in an automated theorem-proving system. These rules, the relation replacement and relation matching rules, generalize to an arbitrary binary relation the paramodulation and E-resolution rules, respectively, for equality, and may operate within a nonclausal or

clausal system. The new rules depend on an extension of the notion of polarity to ap ...

17 Technique for automatically correcting words in text

Karen Kukich

December 1992 **ACM Computing Surveys (CSUR)**, Volume 24 Issue 4

Full text available:  [pdf\(6.23 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Research aimed at correcting words in text has focused on three progressively more difficult problems: (1) nonword error detection; (2) isolated-word error correction; and (3) context-dependent word correction. In response to the first problem, efficient pattern-matching and n-gram analysis techniques have been developed for detecting strings that do not appear in a given word list. In response to the second problem, a variety of general and application-specific spelling cor ...



Keywords: n-gram analysis, Optical Character Recognition (OCR), context-dependent spelling correction, grammar checking, natural-language-processing models, neural net classifiers, spell checking, spelling error detection, spelling error patterns, statistical-language models, word recognition and correction



18 The acquisition and use of context-dependent grammars for English

Robert F. Simmons, Yeong-Ho Yu

December 1992 **Computational Linguistics**, Volume 18 Issue 4

Full text available:  [pdf\(1.70 MB\)](#)  [Publisher Site](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

This paper introduces a paradigm of context-dependent grammar (CDG) and an acquisition system that, through interactive teaching sessions, accumulates the CDG rules. The resulting context-sensitive rules are used by a stack-based, shift/reduce parser to compute unambiguous syntactic structures of sentences. The acquisition system and parser have been applied to the phrase structure and case analyses of 345 sentences, mainly from newswire stories, with 99% accuracy. Extrapolation from our current ...



19 Not-equal scan as a matter of faith?

Gérard A. Langlet

December 1992 **ACM SIGAPL APL Quote Quad**, Volume 23 Issue 2


Full text available:  [pdf\(439.80 KB\)](#)

Additional Information: [full citation](#), [citations](#), [index terms](#)



20 Efficient web browsing on handheld devices using page and form summarization

January 2002 **ACM Transactions on Information Systems (TOIS)**, Volume 20 Issue 1

Full text available:  [pdf\(4.47 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

We present a design and implementation for displaying and manipulating HTML pages on small handheld devices such as personal digital assistants (PDAs), or cellular phones. We introduce methods for summarizing parts of Web pages and HTML forms. Each Web page is broken into text units that can each be hidden, partially displayed, made fully visible, or summarized. A variety of methods are introduced that summarize the text units. In addition, HTML forms are also summarized by displaying just the t ...

Keywords: PDA, Personal digital assistant, WAP, WML, forms, handheld computers, mobile computing, summarization, ubiquitous computing, wireless computing



Results 1 - 20 of 200

Result page: **1** [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)